

Limanowskiego 6/21, 30-534 Krakow



+48 515 322608, +48 606 363000



[info@gmlsystem.pl](mailto:info@gmlsystem.pl)



[www.gmlsystem.pl](http://www.gmlsystem.pl)

## **Stainless steel glass balustrade for internal stairs (Product LCH-G-GLAS-3-E)**

**Stainless steel glass balustrade with satin finish tubular posts and handrail.**


**Filling from laminated safety glass VSG with color PVC foil.**

Posts, handrails and fittings available in 304 or 316 grade stainless steel.

Glass panels in clear, laminated safety glass VSG with color PVC foil.

### **Sample project**





Limanowskiego 6/21, 30-534 Krakow





+48 515 322608, +48 606 363000




[info@gmlsystem.pl](mailto:info@gmlsystem.pl)



[www.gmlsystem.pl](http://www.gmlsystem.pl)





Limanowskiego 6/21, 30-534 Krakow



+48 515 322608, +48 606 363000



[info@gmlsystem.pl](mailto:info@gmlsystem.pl)



[www.gmlsystem.pl](http://www.gmlsystem.pl)

## Technical Details:

1. satin finish stainless steel handrail and posts from tube Ø 42 mm,
2. height 1000 mm (to top of rail),
3. filling with clear, laminated, safety glass VSG 44.2 with color PVC foil,
4. handrail brackets,
5. stainless steel standoffs,
6. wall brackets

Side mounting method.

## Production time 3-5 weeks

Pre-assembly of posts with other parts, such as handrail brackets, standoffs and wall brackets, take place in workshop.

Stainless steel fittings: standoffs, wall brackets, handrail brackets, end caps, come from our own production and are available in 304 or 316 grade steel.