



*GMI System*  
steel-glass constructions

+48 515 322608, +48 606 363000



[info@gmlsystem.pl](mailto:info@gmlsystem.pl)



[www.gmlsystem.eu](http://www.gmlsystem.eu)



## **Cantilever sliding gate with diagonal bracing and welded mesh filling from galvanized steel ( Product RKS-T-ISCHTOR-4-S )**

Self-supporting sliding gate with diagonal bracing and steel wire mesh infill from powder painted galvanized steel.

Standard gates for 4-10 m driveway, height up to 2.4 m.

### **Example project**





*GML System*  
steel-glass constructions

+48 515 322608, +48 606 363000



[info@gmlsystem.pl](mailto:info@gmlsystem.pl)




[www.gmlsystem.eu](http://www.gmlsystem.eu)



## Technical Details:


1. gate type: cantilever sliding gate, self-supporting,
2. opening width: 7000mm,
3. height: 1700mm,
4. filling: welded steel wire mesh,
5. gate construction: welded frame with diagonal bracing from rectangular tube, ground track 120x100x5mm,
6. material and color: galvanized steel, powder painted, any color from the RAL color palette,
7. posts: double guiding frame from square tube on footplate,
8. accessories: 2 high-quality roller carriages, flashing beacon,
9. automation: electrical drive equipped with remote control, Beninca BULL.

**Production time 4-6 weeks**




Limanowskiego 6/21, 30-534 Krakow



 +48 515 322608, +48 606 363000

 [info@gmlsystem.pl](mailto:info@gmlsystem.pl)

 [www.gmlsystem.eu](http://www.gmlsystem.eu)

Welded construction. Pre-assembly of the whole construction takes place in workshop.